

What Is Claimed Is:

1. A histogram comprising;

threshold values used in representing the number of n of bits for securing interoperability, capable of comparing the histograms represented by the number of bits which are differ from each other, including threshold values used in representing the number of N' ($N' < N$) of bits, when bin value is represented with the number of N of bits by quantization in order to query multimedia using histogram.

2. The histogram according to claim 1, wherein the histogram is a color histogram.

3. A multimedia query method comprising the steps of:

correcting the other bin value as smaller number of N of bits and then comparing two values if one of two histograms represents bin value with M , the other represents bin value with N ($M > N$), when performing the comparison between histograms represented with the number of bits which are differ from each other.

4. The multimedia query method according to claim 3, wherein the correcting process is performed by summing the bin values divided by the threshold values (TH1s) existing between two threshold values used in representing the number of N of bits to the rest threshold values except for threshold values (TH2s) used in representing the number of N of bits, among threshold values (TH1s) used in representing the number of M of bits.

5. The multimedia query method according to claim 3, wherein the histogram is a

color histogram.

6. A color histogram quantization method comprising the steps of:

dividing HMMD color space by a histogram, the color histogram comprising
5 threshold values used in representing the number of n of bits for securing interoperability,
capable of comparing the histograms represented by the number of bits which are differ
from each other, including necessarily threshold values used in representing the number of
 $N'(N' < N)$ of bits, when bin value is represented with the number of N of bits by
quantization in order to query multimedia using the color histogram, at this time,

10 (a) producing indexes of two bin values by using a threshold value $2.5/310.0$
for representing 1 bit bin value;

(b) producing indexes of four bin values by using three threshold values
 $2.5/310.0$, $9.1/310.0$, and $30.0/310.0$ for representing 2 bits bin values;

15 (c) producing 16 indexes by deciding 0.0 of bin value as an index for
representing 4 bits bin values, producing two indexes by bisecting a period of 0 and
 $0.6/310.0$, producing an index in the period of $0.6/310.0$ and $2.5/310.0$, producing five
indexes in the periods of $2.5/310.0$ and $19.0/310.0$, producing six indexes in the periods of
 $19.0/310.0$ and $85.0/310.0$, and designating the value above $85.0/310.0$ as an index; and

20 (d) producing an index by deciding 0.0 of bin value as an index for
representing 6 bits bin values, producing four indexes by dividing a period of 0 and $0.6/310.0$
into four equal parts, producing four indexes by dividing the period of $0.6/310.0$ and
 $2.5/310.0$ into four equal parts, producing ten indexes by dividing the periods of $2.5/310.0$
and $19.0/310.0$ into ten equal parts, producing thirty indexes by dividing the periods of

19.0/310.0 and 85.0/310.0 into thirty equal parts, producing fourteen indexes by dividing the periods of 85.0/310.0 and 121.0/310.0 into fourteen equal parts, and designating the value above 121.0/310.0 as an index.

5 7. A histogram comprising;

n-th bit represented by quantization of bin value, wherein the nth bit bisects the respective regions divided into (N-1)th bit in order to perform a progressive bit processing capable of retrieving by using only bits, which is smaller than N, when bin value is represented with the number of N of bits by quantization in order to query multimedia using histogram.

8. The histogram according to claim 7, wherein the histogram is a color histogram.

9. A histogram encoding method comprising the steps of:

arranging the first bit of every bin first and then arranging the second bit, when encoding the histogram representing bin value to perform the progressive bit processing.

10. The histogram encoding method according to claim 9, wherein the histogram is a color histogram.

20